## 400 Line 400lt Line Refrigerator 1 Door (White) R600a

ITEM #	
MODEL #	
NAME #	
SIS #	
ΔΙΔ #	



730050 (RM04PVFW)

1-door refrigerator 400lt, 0+10°C, prepainted white, ventilated

730056 (R04PVFW)

1-door refrigerator 400lt, 0+10°C, prepainted white, ventilated, R600a

# **Short Form Specification**

## Item No.

Exterior in white painted steel. Interior in white High Impact Polystyrene with rounded corners and 45mm thick insulation. Right hinged full door with lock, reversible on-site. Built-in refrigeration unit; ventilated operating mode; automatic defrost and evaporation of defrost water; digital control and temperature display. For ambient temperatures up to 43°C. HCFC, CFC and HFC free insulation and R600a refrigerant gas. With 2 front feet and 2 back wheels.

Supplied with n. 4 grids 600x400mm, PE coated.

## **Main Features**

- Digital control panel allowing the easy and precise setting and control of the internal temperature.
- Shelf runners are thermoformed and are incorporated in the internal structure to be easily cleanable.
- Whole interior cell with rounded corners is white thermoformed polystyrene, which is impact resistant.
- Model requires only 1 phase 230V supply and can be plugged straight into an existing power socket.
- Very quiet operation.
- No joints whatsoever to eliminate dirt traps.
- Simple refrigeration system easily accessible from the rear of the units.
- Fan assisted cooling for even temperature distribution.
- Model equipped with roll-bond plate that has a plate installed in the internal backside of the unit equipped with a special thermostat to avoid ice formation.

## Construction

- Developed and produced in ISO 9001 and ISO 14001 certified factory.
- All models in range are finished in top quality materials to aid durability.
- CFC and HCFC free (ecological refrigerant type: R600a).

## **Included Accessories**

<ul> <li>2 of Pair of grids for 400lt</li> </ul>	PNC 880292
refrigerator, white	


## **Optional Accessories**


- Pair of grids for 400lt refrigerator, white
- Pvc container with false bottom for PNC 881072 400lt

APPROVAL:




## 400 Line 400lt Line Refrigerator 1 Door (White) R600a





Electrical inlet (power) Refrigerant Inlet Refrigerant Outlet



### **Electric**

Supply voltage:

730050 (RM04PVFW) 220-240 V/1 ph/50 Hz 730056 (R04PVFW) 220-240 V/1 ph/50 Hz

Electrical power max.: 0.13 kW

## **Key Information:**

400 lt Gross capacity: Net Volume: 265 lt Door hinges: Right Side

External dimensions, Width:

730050 (RM04PVFW) 701 mm 730056 (R04PVFW) 700 mm

External dimensions, Height:

730050 (RM04PVFW) 1654 mm 730056 (R04PVFW) 1645 mm

External dimensions, Depth

with Doors Open:

730050 (RM04PVFW) 1276 mm 730056 (R04PVFW) 1310 mm

Noise level:

730050 (RM04PVFW) 53,5 dBA 730056 (R04PVFW) 49 dBA

Number and type of grids

4 - 600x400 (included): Type of external material: Prepainted Steel

External door material:

### Refrigeration Data

Control type: Digital

Compressor power:

730050 (RM04PVFW) 1/5 hp R600a Refrigerant type:

**GWP Index:** 

Refrigeration power:

306 W 730050 (RM04PVFW) 730056 (R04PVFW) 253 W

Refrigeration power at

evaporation temperature: -12 °C Refrigerant weight: 100 g Min/Max internal humidity: 70%/84% Operating temperature min.: 0°C 10 °C Operating temperature max.:

Operating mode: Cooling unit:

Ventilated Built-In

Prepainted Steel

Defrost type:

Top

730050 (RM04PVFW) Automatic (air)

730056 (R04PVFW) Compressor off

# Product Information (EU Regulation 2015/1094)

**Energy Class:** 

Yearly and daily energy

consumption:

697.5kWh/year -730050 (RM04PVFW) 1.91kWkWh/24h 473kWh/year -730056 (R04PVFW) 1.3kWkWh/24h

Climate class:


Energy Efficiency Index (EEI):



400lt Line Refrigerator 1 Door (White) R600a



# 400 Line 400lt Line Refrigerator 1 Door (White) R600a



EU energy labelling from 1st July 2016
The European energy labelling scheme for professional refrigerators and freezers is based on requirements setting Minimum Energy Performance standards for commercial refrigeration cabinets sold within the EU. These requirements are designed to drive energy efficiency and environmentally friendly approach for references. efficiency and environmentally friendly approach for professionals. The European energy labelling scheme will apply to all manufacturers and importers who sell and market products within the EU and it is mandatory across Europe.

<u>Important</u>: all products which consume energy above the minimum level will not be able to be sold within the EU from 1 July 2016.

